

SUPERGEN 0W-30

Petrol / Diesel

SUPERGENTM
Engine Oils

Introduction -

Supergen is a series of engine oils by Lubeco Green Fluids, developed for a wide range of engine types to provide customers with an unmatched experience of engine maintenance. Supergen engine oils are cost-effective & help in smoothening the engine processes.

Application -

SUVs, Cars, Bikes & Scooters

Description -

Supergen series is specially engineered for quality care & smooth functioning of your engines. Our engine oils assist you in executing hassle-free industrial processes by energizing your engines. They also decrease fuel consumption in vehicles & escalate the engine's life.

Types -

Mineral, Semi Synthetic & Premium Synthetic Base

Packing options -

900ml, 1L, 2.5L, 3L, 3.5L, 5L, 7.5L, 10L, 20L, 50L and 210L

Technical Specifications

- ⚙ High viscosity index
- ⚙ High quality base stocks
- ⚙ Good anti-wear, thermal & anti-oxidation properties




Pratap Tex-Chem Pvt. Ltd.®

Lubeco®
GREEN FLUIDS

SUPERGEN 0W-30


Petrol

MINERAL BASE




	Specifications	Colour	Density @ 29°C	Viscosity @ 40°C	Viscosity @ 100°C	VI	Flash point (°C)	Pour Point (°C)	TBN (Mg KOH/gm)
SUPERGEN 0W-30	API SL/ JASO MA2	Light Brown	0.85-0.90	55-65 cst	8.60 cst	130	200	(-) 20	10.00-11.00
SUPERGEN 0W-30	API SN/ JASO MA	Light Brown	0.85-0.90	55-65 cst	8.60 cst	130	200	(-) 20	11.00-12.00

SEMI SYNTHETIC



	Specifications	Colour	Density @ 29°C	Viscosity @ 40°C	Viscosity @ 100°C	VI	Flash point (°C)	Pour Point (°C)	TBN (Mg KOH/gm)
SUPERGEN 0W-30	API SL/ JASO MA2	Yellow to Light Brown	0.85-0.90	55-65 cst	9.10 cst	145	215	(-) 25	10.00-11.00
SUPERGEN 0W-30	API SN/ JASO MA	Yellow to Light Brown	0.85-0.90	55-65 cst	9.10 cst	145	215	(-) 25	11.00-12.00

PREMIUM SYNTHETIC




	Specifications	Colour	Density @ 29°C	Viscosity @ 40°C	Viscosity @ 100°C	VI	Flash point (°C)	Pour Point (°C)	TBN (Mg KOH/gm)
SUPERGEN 0W-30	API SL/ JASO MA2	Golden Yellow	0.80-0.85	55-65 cst	10.00 cst	170	235	(-) 40	10.00-11.00
SUPERGEN 0W-30	API SN/ JASO MA	Golden Yellow	0.80-0.85	55-65 cst	10.00 cst	170	235	(-) 40	11.00-12.00

SUPERGEN 0W-30


Diesel

MINERAL BASE




	Specifications	Colour	Density @ 29°C	Viscosity @ 40°C	Viscosity @ 100°C	VI	Flash point (°C)	Pour Point (°C)	TBN (Mg KOH/gm)
SUPERGEN 0W-30	API CH 4	Light Brown	0.85-0.90	55-65 cst	8.60 cst	130	200	(-) 20	10.00-11.00
SUPERGEN 0W-30	API CI-4+	Light Brown	0.85-0.90	55-65 cst	8.60 cst	130	200	(-) 20	11.00-12.00

SEMI SYNTHETIC



	Specifications	Colour	Density @ 29°C	Viscosity @ 40°C	Viscosity @ 100°C	VI	Flash point (°C)	Pour Point (°C)	TBN (Mg KOH/gm)
SUPERGEN 0W-30	API CH 4	Yellow to Light Brown	0.85-0.90	55-65 cst	9.10 cst	145	215	(-) 25	10.00-11.00
SUPERGEN 0W-30	API CI-4+	Yellow to Light Brown	0.85-0.90	55-65 cst	9.10 cst	145	215	(-) 25	11.00-12.00

PREMIUM SYNTHETIC



	Specifications	Colour	Density @ 29°C	Viscosity @ 40°C	Viscosity @ 100°C	VI	Flash point (°C)	Pour Point (°C)	TBN (Mg KOH/gm)
SUPERGEN 0W-30	API CH 4	Golden Yellow	0.80-0.85	55-65 cst	10.00 cst	170	235	(-) 40	10.00-11.00
SUPERGEN 0W-30	API CI-4+	Golden Yellow	0.80-0.85	55-65 cst	10.00 cst	170	235	(-) 40	11.00-12.00