

# SUPERGEN 10W-30

Petrol / Diesel

**SUPERGEN**<sup>TM</sup>  
Engine Oils

## Introduction -

Supergen is a series of engine oils by Lubeco Green Fluids, developed for a wide range of engine types to provide customers with an unmatched experience of engine maintenance. Supergen engine oils are cost-effective & help in smoothening the engine processes.

## Application -

SUVs, Cars, Bikes & Scooters

## Description -

Supergen series is specially engineered for quality care & smooth functioning of your engines. Our engine oils assist you in executing hassle-free industrial processes by energizing your engines. They also decrease fuel consumption in vehicles & escalate the engine's life.

## Types -

Mineral, Semi Synthetic & Premium Synthetic

## Packing options -

900ml, 1L, 2.5L, 3L, 3.5L, 5L, 7.5L, 10L, 20L, 50L and 210L


## Technical Specifications

- ⚙ High viscosity index
- ⚙ High quality base stocks
- ⚙ Good anti-wear, thermal & anti-oxidation properties

# SUPERGEN 10W-30


Petrol

## MINERAL BASE




	Specifications	Colour	Density @ 29°C	Viscosity @ 40°C	Viscosity @ 100°C	VI	Flash point (°C)	Pour Point (°C)	TBN (Mg KOH/gm)
SUPERGEN 10W-30	API SL/ JASO MA2	Light Brown	0.85-0.90	60-70 cst	9.15 cst	130	200	(-) 20	10.00-11.00
SUPERGEN 10W-30	API SN/ JASO MA	Light Brown	0.85-0.90	60-70 cst	9.15 cst	130	200	(-) 20	11.00-12.00

## SEMI SYNTHETIC



	Specifications	Colour	Density @ 29°C	Viscosity @ 40°C	Viscosity @ 100°C	VI	Flash point (°C)	Pour Point (°C)	TBN (Mg KOH/gm)
SUPERGEN 10W-30	API SL/ JASO MA2	Yellow to Light Brown	0.85-0.90	60-70 cst	9.70 cst	145	215	(-) 25	10.00-11.00
SUPERGEN 10W-30	API SN/ JASO MA	Yellow to Light Brown	0.85-0.90	60-70 cst	9.70 cst	145	215	(-) 25	11.00-12.00

## PREMIUM SYNTHETIC




	Specifications	Colour	Density @ 29°C	Viscosity @ 40°C	Viscosity @ 100°C	VI	Flash point (°C)	Pour Point (°C)	TBN (Mg KOH/gm)
SUPERGEN 10W-30	API SL/ JASO MA2	Golden Yellow	0.80-0.85	60-70 cst	10.70 cst	170	235	(-) 40	10.00-11.00
SUPERGEN 10W-30	API SN/ JASO MA	Golden Yellow	0.80-0.85	60-70 cst	10.70 cst	170	235	(-) 40	11.00-12.00

# SUPERGEN 10W-30


Diesel

## MINERAL BASE




	Specifications	Colour	Density @ 29°C	Viscosity @ 40°C	Viscosity @ 100°C	VI	Flash point (°C)	Pour Point (°C)	TBN (Mg KOH/gm)
SUPERGEN 10W-30	API CH 4	Light Brown	0.85-0.90	60-70 cst	9.15 cst	130	200	(-) 20	10.00-11.00
SUPERGEN 10W-30	API CI-4+	Light Brown	0.85-0.90	60-70 cst	9.15 cst	130	200	(-) 20	11.00-12.00

## SEMI SYNTHETIC



	Specifications	Colour	Density @ 29°C	Viscosity @ 40°C	Viscosity @ 100°C	VI	Flash point (°C)	Pour Point (°C)	TBN (Mg KOH/gm)
SUPERGEN 10W-30	API CH 4	Yellow to Light Brown	0.85-0.90	60-70 cst	9.70 cst	145	215	(-) 25	10.00-11.00
SUPERGEN 10W-30	API CI-4+	Yellow to Light Brown	0.85-0.90	60-70 cst	9.70 cst	145	215	(-) 25	11.00-12.00

## PREMIUM SYNTHETIC



	Specifications	Colour	Density @ 29°C	Viscosity @ 40°C	Viscosity @ 100°C	VI	Flash point (°C)	Pour Point (°C)	TBN (Mg KOH/gm)
SUPERGEN 10W-30	API CH 4	Golden Yellow	0.80-0.85	60-70 cst	10.70 cst	170	235	(-) 40	10.00-11.00
SUPERGEN 10W-30	API CI-4+	Golden Yellow	0.80-0.85	60-70 cst	10.70 cst	170	235	(-) 40	11.00-12.00